| L | Hits | Search Text | DB | Time stamp |
|--------|------|---|-------|------------|
| Number | | | | |
| 1 | 1 | 6161139.pn. | USPAT | 2004/04/01 |
| | | _ | | 17:14 |
| 3 | 0 | 6161139.pn.and logout and unix | USPAT | 2004/04/01 |
| | | | | 17:14 |
| 2 | 1 | 6161139.pn.and logout | USPAT | 2004/04/01 |
| - | | , | | 17:16 |
| 4 | 1 | 6161139.pn.and (within or into) | USPAT | 2004/04/01 |
| - | _ ' | , | | 17:21 |
| 5 | l 0 | 6678727.pn.and unix | USPAT | 2004/04/01 |
| • | | | | 17:22 |
| 6 | 1 | 6055637.pn.and unix | USPAT | 2004/04/01 |
| " | - | COOCOTT PITT MILE | | 17:26 |
| 7 | 1 | ("6161139" "6061795").pn.and unix | USPAT | 2004/04/01 |
| ' | _ | , | | 17:35 |
| 8 | 0 | 6539481.pn.and unix | USPAT | 2004/04/01 |
| " | | 0003101.p | | 17:35 |
| _ | 3 | network with resource\$1 near10 user\$1 | USPAT | 2004/04/01 |
| | | near10 configuration near5 file\$1 | | 17:14 |
| _ | 35 | resource\$1 near10 user\$1 near10 | USPAT | 2004/04/01 |
| | 33 | configuration near5 file\$1 | | 11:01 |
| _ ` | 0 | network with resource\$1 near10 user\$1 | USPAT | 2004/04/01 |
| _ | ľ | near10 configuration.ab. | | 11:02 |
| _ | 61 | network with resource\$1 near10 user\$1 | USPAT | 2004/04/01 |
| | . 01 | near10 configuration | | 11:02 |
| 1_ | 0 | network with resource\$1 near10 user\$1 | USPAT | 2004/04/01 |
| | | near10 configuration and cofiguration | | 11:02 |
| | | with file | | |
| _ | 37 | | USPAT | 2004/04/01 |
| |] | near10 configuration and configuration | | 11:17 |
| | | with file | | |
| _ | 107 | l . | USPAT | 2004/04/01 |
| | | configuration and configuration with file | | 11:18 |
| _ | 70 | resource\$1 near10 user\$1 near10 | USPAT | 2004/04/01 |
| | \ ' | configuration and configuration with file | | 11:18 |
| | | not (network with resource\$1 near10 | | |
| | | user\$1 near10 configuration) | 1 | |
| _ | 48 | resource\$1 near10 user\$1 near10 | USPAT | 2004/04/01 |
| 1 | | configuration and configuration with file | | 12:21 |
| 1 | | not (network with resource\$1 near10 | | |
| | | user\$1 near10 configuration) and user\$1 | | |
| | | with ident\$8 | | |
| _ | 48 | resource\$1 near10 user\$1 near10 | USPAT | 2004/04/01 |
| | | configuration and configuration with file | | 12:21 |
| | | not (network with resource\$1 near10 | | |
| | | user\$1 near10 configuration) and user\$1 | | |
| | | with ident\$8 and resource\$1 | | |
| | L | WICH INCHOOL WITH INCHINA | l | |

•2

| L | Hits | Search Text | DB | Time stamp |
|--------|---------|--|--------|---------------------|
| Number | | | | 0.001/0.00 |
| - | 1618 | (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| _ | 10 | resource\$1 near10 user\$1 (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 17:02 2004/03/30 |
| - | 10 | resource\$1 near10 user\$1 same login | USFAI | 17:09 |
| _ | 86 | (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| | | resource\$1 near10 user\$1.ab. | | 17:10 |
| _ | 7260945 | not ((allocat\$3 or assign\$5 or | USPAT | 2004/03/30 |
| | | attach\$3)near10 resource\$1 near10 user\$1 | | 17:09 |
| | | same login) | | |
| - | 85 | (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| | | resource\$1 near10 user\$1.ab.not | | 17:10 |
| | | ((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 user\$1 same login) | | |
| | 56 | same login; (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| ~ | 30 | resource\$1 near10 user\$1.ab. and log\$4 | USERI | 17:17 |
| | | not ((allocat\$3 or assign\$5 or | | 17.17 |
| | | attach\$3)near10 resource\$1 near10 user\$1 | | |
| | | same login) | | |
| - | 18 | (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| | | resource\$1 near10 user\$1.ab. and unix not | | 17:11 |
| | | ((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 user\$1 | | |
| | | same login) and ((allocat\$3 or assign\$5 | | |
| | | or attach\$3)near10 resource\$1 near10 | | |
| | | user\$1.ab. and unix not ((allocat\$3 or assign\$5 or attach\$3)near10 resource\$1 | | |
| | | near10 user\$1 same login)) | | |
| _ | 16 | (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| | | resource\$1 near10 user\$1.ab. and log\$4 | | 17:11 |
| | | and unix not ((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 user\$1 | | |
| | | same login) | | |
| - | 18 | (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| | | resource\$1 near10 user\$1.ab. and unix not | | 17:13 |
| | | ((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 user\$1 same login) | | |
| _ | 0 | 6665798.URPN. | USPAT | 2004/03/30 |
| | | 0003730.0KEN. | 001111 | 17:15 |
| _ | 40 | (allocat\$3 or assign\$5 or attach\$3)near10 | USPAT | 2004/03/30 |
| | | resource\$1 near10 user\$1.ab. and log\$4 | | 17:22 |
| | | not (((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 user\$1 | | |
| | | same login) ((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 | | |
| | | user\$1.ab. and log\$4 and unix not ((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 user\$1 | | |
| | | same login)) ((allocat\$3 or assign\$5 or | | |
| | | attach\$3)near10 resource\$1 near10 | | |
| | | user\$1.ab. and unix not ((allocat\$3 or | | |
| | | assign\$5 or attach\$3)near10 resource\$1 | | |
| | | near10 user\$1 same login))) | 110022 | 2004/02/20 |
| - | 783 | (allocat\$3 or assign\$5 or access\$6 or | USPAT | 2004/03/30 17:26 |
| | | attach\$3) near15 bas\$3 near10 user\$2 near5 identi\$9 | | 17.20 |
| _ | 531 | nears identify (allocat\$3 or assign\$5 or access\$6 or | USPAT | 2004/03/30 |
| | 331 | attach\$3) near15 based near10 user\$2 | | 17:27 |
| | | near5 identi\$9 | | = . |
| _ | 22 | (allocat\$3 or assign\$5 or access\$6 or | USPAT | 2004/03/30 |
| | | attach\$3) near10 resource\$1 near10 based | | 17:33 |
| | | near10 user\$2 near5 identi\$9 | | |
| - | 18 | (allocat\$3 or assign\$5 or access\$6 or | USPAT | 2004/03/30 |
| | | attach\$3) near10 resource\$1 near10 based | | 17:37 |
| | | near10 user\$2 near5 identi\$9 and log\$3 | HCDAT | 2004/02/20 |
| - | 22 | (allocat\$3 or assign\$5 or access\$6 or | USPAT | 2004/03/30 17:37 |
| | | attach\$3) near10 resource\$1 near10 based near10 user\$2 near5 identi\$9 | | 11.31 |
| | <u></u> | Hearin ageras Heard Inchirida | L | |

| - | 1 | configurat\$3 with file\$1 near10 user\$1 near10 resource\$1.ab. | USPAT | 2004/03/30 |
|---|---------|---|----------|----------------------------------|
| - | 57 | configurat\$3 with file\$1 near10 user\$1 near10 resource\$1 | USPAT | 17:36 2004/03/30 17:39 |
| - | 299 | resource\$1 resource\$2 near15 configurat\$3 near6 file\$1 | USPAT | 2004/03/31 |
| - | 3 | resource\$2 near15 configurat\$3 near6 file\$1 near10 user\$1.ab. | USPAT | 2004/03/31 |
| _ | 6 | resource\$2 near15 configurat\$3 near6 file\$1 near10 user\$1 with ident\$8 | USPAT | 2004/03/31 |
| _ | 0 | (match\$3 or map\$4) near15 resource\$2 near15 configurat\$3 near6 file\$1 near10 user\$1 with ident\$8 | USPAT | 2004/03/31 |
| - | 1 | (match\$3 or map\$4) near15 configurat\$3 near6 file\$1 near10 user\$1 with ident\$8 | USPAT | 2004/03/31 |
| _ | 2 | (match\$3 or map\$4) near15 resource\$1 near6 file\$1 near10 user\$1 with ident\$8 | USPAT | 2004/03/31 |
| - | 15 | (match\$3 or map\$4) near15 configurat\$3 near6 file\$1 near10 resource\$1 | USPAT | 2004/03/31 |
| - | 1 | <pre>(match\$3 or map\$4) near15 configurat\$3 near6 file\$1 near10 resource\$1 and user\$1</pre> | USPAT | 2004/03/31 |
| - | 7 | with ident\$8 6233576.URPN. | USPAT | 2004/03/31 |
| - | 6 | 6233576.URPN.and configurat\$3 | USPAT | 2004/03/31 10:40 |
| - | 3 | 6233576.URPN.and configurat\$3 near10 | USPAT | 2004/03/31 |
| - | 42 | resource\$2 near15 configurat\$3 near6 file\$1 near10 user\$1 | USPAT | 2004/03/31 |
| _ | 1039 | resource\$2 near15 user\$1 and configurat\$3 near6 file\$1 | USPAT | 2004/03/31 |
| - | 2013701 | (map\$4 or match\$3 or compar\$3 or determin\$5) user\$1 near15 configurat\$3 near6 file\$1 | USPAT | 2004/03/31 10:48 |
| - | 129 | <pre>(map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near15</pre> | USPAT | 2004/03/31 10:48 |
| - | 0 | configurat\$3 near6 file\$1 (map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near15 configurat\$3 near6 file\$1 near10 | USPAT | 2004/03/31 10:48 |
| - | 0 | resource\$1 (map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near15 configurat\$3 near6 file\$1 near15 | USPAT | 2004/03/31 10:48 |
| - | 70 | resource\$1 (map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near15 | USPAT | 2004/03/31 10:49 |
| _ | 8 | configurat\$3 near6 file\$1 and resource\$1 (map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near15 configurat\$3 near6 file\$1 and resource\$1.ab. | USPAT | 2004/03/31 10:51 |
| - | 3 | (map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near10 ident\$8 near15 configurat\$3 near6 file\$1 and resource\$1 | USPAT | 2004/03/31 10:55 |
| - | 6 | (map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near10 ident\$8 | USPAT | 2004/03/31 10:57 |
| - | 5 | with configurat\$3 near6 file\$1 (map\$4 or match\$3 or compar\$3 or determin\$5)near10 user\$1 near10 ident\$8 near10 resource\$1 and configurat\$3 near6 | USPAT | 2004/03/31 11:01 |
| - | 2013673 | file\$1 (map\$4 or match\$3 or compar\$3 or determin\$5)user\$1 near10 file\$1 and resource\$1 near10 configurat\$3 near6 file\$1 | USPAT | 2004/03/31 11:03 |
| _ | 28 | i i | USPAT | 2004/03/31 11:08 |
| | | file\$1 | <u> </u> | <u> </u> |

Search History 4/1/04 6:09:17 PM Page 2

| - | 6 | user\$1 with ident\$8 near10 configurat\$3 | USPAT | 2004/03/31 |
|-----|-------|---|---------|------------|
| | | with file\$1 and resource\$1 near10 | | 11:14 |
| | | configurat\$3 near6 file\$1 | | |
| - | 71 | user\$1 near10 configurat\$3 with file\$1 | USPAT | 2004/03/31 |
| | | and resource\$1 near10 configurat\$3 near6 | | 11:20 |
| | | file\$1 | | |
| _ | 37 | user\$1 near10 configurat\$3 with file\$1 | USPAT | 2004/03/31 |
| | | and resource\$1 near10 configurat\$3 near6 | | 11:29 |
| | | file\$1 and user\$1 with ident\$8 | | |
| | 1134 | | USPAT | 2004/03/31 |
| - | 1134 | allocat\$3 or append\$4)near15 resource\$1 | OSFAI | 11:30 |
| _ | 96 | | USPAT | 2004/03/31 |
| - | ا قو | | USPAI | 11:30 |
| | | allocat\$3 or append\$4)near15 resource\$1 near10 user\$1 | | 111.30 |
| | , | · · | USPAT | 2004/03/31 |
| - | 1 | dynamic\$7 near10 (attach\$3 or assign\$4 or | USPAT | 2004/03/31 |
| | | allocat\$3 or append\$4)near15 resource\$1 | | 11:32 |
| | | near10 user\$1 with configurat\$3 | | 0004/00/01 |
| - | 1 | dynamic\$7 near10 (attach\$3 or assign\$4 or | USPAT | 2004/03/31 |
| | | allocat\$3 or append\$4)near15 resource\$1 | | 11:34 |
| | _ | near10 configurat\$3 with file\$1 | | , / / |
| _ | 0 | (attach\$3 or assign\$4 or allocat\$3 or | USPAT | 2004/03/31 |
| | | append\$4)near15 resource\$1 near10 user\$1 | | 11:35 |
| | | with configurat\$3 with file\$1 | | |
| - | 0 | (attach\$3 or assign\$4 or allocat\$3 or | USPAT | 2004/03/31 |
| | | append\$4)near15 resource\$1 near10 user\$1 | | 11:35 |
| | | near10 configurat\$3 with file\$1 | | |
| - | 8 | (attach\$3 or assign\$4 or allocat\$3 or | USPAT | 2004/03/31 |
| | | append\$4)near15 resource\$1 near10 | | 11:39 |
| İ | | configurat\$3 with file\$1 and user\$1 with | | |
| | | ident\$8 | | |
| _ | 29 | (attach\$3 or assign\$4 or allocat\$3 or | USPAT | 2004/03/31 |
| | | append\$4)near15 resource\$1 near10 | | 11:39 |
| | | configurat\$3 with file\$1 | | |
| _ | 29 | | USPAT | 2004/03/31 |
| | | append\$4)near15 resource\$1 near10 | | 11:39 |
| | | configurat\$3 with file\$1 and user\$1 | | |
| i - | 29 | | USPAT | 2004/03/31 |
| | | append\$4)near15 resource\$1 near10 | | 11:39 |
| | | configurat\$3 with file\$1 and user\$1 | | |
| _ | 1 | 5832505.pn. and configurat\$3 | USPAT | 2004/03/31 |
| | _ | Cooler than and compagned of the | | 14:28 |
| _ | 1 | 5832505.pn. and configurat\$3 with file\$1 | USPAT | 2004/03/31 |
| | 1 | ooozoo, piii aiia oonzigazaaya wion ziiiayi | ****** | 14:40 |
| _ | 0 | 5832505.pn. and configurat\$3 with file\$1 | USPAT | 2004/03/31 |
| | Ĭ | near8 resource\$1 | 051111 | 14:29 |
| _ | o | 5832505.pn. and configurat\$3 with file\$1 | USPAT | 2004/03/31 |
| | | near8 access | | 14:29 |
| _ | 194 | resource\$1 with attach\$5 and configurat\$3 | USPAT | 2004/03/31 |
| | 1 199 | with file\$1 | USIAI | 14:40 |
| 1_ | 1 | resource\$1 with attach\$5 near10 | USPAT | 2004/03/31 |
| - | 1 | configurat\$3 with file\$1 | OSEMI | 14:40 |
| _ | 1 | resource\$1 with attach\$5 and configurat\$3 | USPAT | 2004/03/31 |
| 1 | 1 | resources1 with attachs5 and configurats5 with file\$1.ab. | OPENI | 14:41 |
| _ | 2 . | | USPAT | 2004/03/31 |
| - | 35 | resource;1 with attach;5 and configurat;3 with file;1 near10 user;1 | USFAI | 14:43 |
| | 100 | | USPAT | 2004/03/31 |
| - | 123 | defin\$4 near10 configurat\$3 with file\$1 | USPAI | |
| | د م | near10 user\$1 | IICDAT! | 14:44 |
| _ | 59 | defin\$4 near10 configurat\$3 with file\$1 | USPAT | 2004/03/31 |
| | | near10 user\$1 and (resource\$1 or | | 14:45 |
| | | device\$1)near10 configurat\$3 | HCDZ | 2004/03/31 |
| - | 36 | | USPAT | 2004/03/31 |
| | | near10 user\$1 and (resource\$1 or | | 14:45 |
| | | device\$1)near10 configurat\$3 with file\$1 | | 0004/00/00 |
| _ | 12 | | USPAT | 2004/03/31 |
| | | near10 user\$1 and (resource\$1 or | | 14:48 |
| | | device\$1)near10 configurat\$3 with file\$1 | | |
| | | near10 user\$1 | | |
| - | 1281 | | USPAT | 2004/03/31 |
| | | near10 user\$1 | | 14:51 |
| - | 10 | | USPAT | 2004/03/31 |
| | | near10 user\$1 near10 configuration | L | 15:10 |

| - | 62 | (allocat\$3 or attach\$5) near15 resource\$1 | USPAT | 2004/03/31 |
|---|-----|--|--------|------------|
| | | near10 user\$1.ab. | | 14:59 |
| - | 1 | 6094680.pn. and configurat\$3 | USPAT | 2004/03/31 |
| | | - | | 15:00 |
| _ | 2 | (allocat\$3 or attach\$5) near15 resource\$1 | USPAT | 2004/03/31 |
| | | near10 based near10 user\$1 near10 ident\$8 | | 15:25 |
| _ | 0 | (allocat\$3 or attach\$5) near15 resource\$1 | USPAT | 2004/03/31 |
| | | near10 based near10 user\$1 near10 ident\$8 | | 15:11 |
| | | and configurat\$3 with file\$1 | | |
| _ | 1 | | USPAT | 2004/03/31 |
| | _ | near10 based near10 user\$1 near10 ident\$8 | | 15:11 |
| | | and configurat\$3 | | |
| _ | 13 | | USPAT | 2004/03/31 |
| | 13 | resource\$1 | | 15:26 |
| _ | 1 | | USPAT | 2004/03/31 |
| | - | resource\$1 near10 configurat\$3 with | " | 15:27 |
| | | file\$1 | | 1302 |
| _ | 13 | login near15 configurat\$3 with file\$1 and | USPAT | 2004/03/31 |
| | 13 | resource\$1 and configurat\$3 with file\$1 | 002332 | 15:27 |
| _ | 18 | login near15 configurat\$3 with file\$1 | USPAT | 2004/03/31 |
| | 10 | Togin nearly configurates with rineyr | """ | 15:30 |
| _ | 344 | resource\$1 near15 configurat\$3 with | USPAT | 2004/03/31 |
| _ | 343 | file\$1 | 051111 | 15:30 |
| _ | 0 | 1 ===-,= | USPAT | 2004/03/31 |
| - | ١ | configurat\$3 with file\$1 near10 user with | OSIAI | 15:31 |
| | | ident\$8 | | 13.31 |
| _ | 2 | - · · · · · | USPAT | 2004/03/31 |
| _ | | configurat\$3 with file\$1 near10 user | 051711 | 15:31 |
| | 14 | | USPAT | 2004/03/31 |
| _ | 14 | configurat\$3 with file\$1 | USIAI | 15:31 |
| | 1 | | USPAT | 2004/03/31 |
| _ | 1 | 6182142.pn. | USFAI | 15:34 |
| | 1 | (102142 mm and configurate2 with filee1 | USPAT | 2004/03/31 |
| _ | 1 | 6182142.pn.and configurat\$3 with file\$1 | OSPAT | 15:34 |
| | 1 | | i | 12:24 |